



REVISIONS			
REV.	DESCRIPTION	DATE	APPROVED
A.01	INITIAL DRAFTING AND LAYOUT.	10 FEB 2025	D ROLLINSON








STRAIGHT CONNECTOR COVER



4X M3 CAPTIVE SCREWS



AUTHORIZATION		
DFTG:	D ROLLINSON	10 FEB 2025
DSGNR:	A WILLIG	NOV 2024
CHKR:		
ENGR:		

UNLESS OTHERWISE SPECIFIED
DIMENSIONS ARE IN MM

DO NOT SCALE DRAWING

TOLERANCES: X.X ±.30
X.XX ±.08
ANGLES ±1.00°

HEBI ROBOTICS
3577 Bigelow Blvd, Floor 3
Pittsburgh, PA 15213
engineering@hebirobotics.com

PROJECT: R25–Series Actuator


R25 Actuator


SIZE		REV	VER
B	R25–Dimensions	A	.01


SCALE: 1:2 | WEIGHT: 2018.31 G | SHEET 1 OF 3

FILE NAME: R25–Dimensions.SLDDRW


THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF HEBI ROBOTICS, INC. ANY REPRODUCTION IN PART OR WHOLE WITHOUT WRITTEN PERMISSION OF IS PROHIBITED.







RIGHT ANGLE CONNECTOR COVER





THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF HEBI ROBOTICS, INC. ANY REPRODUCTION IN PART OR WHOLE WITHOUT WRITTEN PERMISSION IS PROHIBITED.


HEBI ROBOTICS
3577 Bigelow Blvd, Floor 3
Pittsburgh, PA 15213
engineering@hebirobotics.com

SIZE		REV	VER
B	R25-Dimensions	A	01
SCALE: 1:1.5		SHEET 2 OF 3	


ELECTRICAL CONNECTIONS








DETAIL A
SCALE 2 : 1
CORD GRIP LAYOUT



DATA CONNECTION
2X PLASTIC OPTICAL FIBER (POF)
100Mpbs ETHERNET
OPTOLOCK®

POWER CONNECTION
PLUGGABLE TERMINAL BLOCK
24-48 VDC RECOMMENDED
MFG: Weidmüller
P/N: 1000880000



THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF HEBI ROBOTICS, INC. ANY REPRODUCTION IN PART OR WHOLE WITHOUT WRITTEN PERMISSION IS PROHIBITED.

HEBI ROBOTICS
3577 Bigelow Blvd, Floor 3
Pittsburgh, PA 15213
engineering@hebirobotics.com

SIZE		REV	VER
B	R25-Dimensions	A	01
SCALE: 1:1.5		SHEET 3 OF 3	